




The projection lamp has bright colors, good monochromaticity, soft light, low power, long service life and a luminous time of 25000 hours. LED projection lamp is not easy to be damaged and has no thermal radiation, which is beneficial to protect the illuminated object and has a wide range of applications. The lamps are equipped with a scale plate to adjust the illumination angle, and the LED projection lamp is controlled by the built-in microchip

Generally, it can aim in any direction and has a structure that is not affected by climatic conditions. It is mainly used for large-area mines, building outlines, stadiums, overpasses, monuments, parks, flower beds, etc



Specifications technique

Reference	LEDFD50LT
EAN code	6114561220501
ETIM code	ED220801

Specifications électrique

Puissance système (W)	50
Puissance led (W)	50
Tension (Vac)	85-265Vac
Fréquence (Hz)	50/60
Contrôleur inclus	oui
Contrôleur in/externe	interne
Driver marque	LAZIO
Driver référence	
Dimmable	NON
Flicker free	oui
Power factor	0,9
Câble de connexion	
Driver output (V)	36V
Driver output (mA)	1150mA
Classe d'isolation	I
Classe d'énergie	A+
N° sur disj. 16A type C	
N° sur disj. 16A type D	
Inrush current driver	2A

Garantie et certification

Durée de vie (h)	50.000
Garantie (ans)	2 (hors batteries)
ENEC	no

Propriétés photométriques

Angle rayonnement (°)	120
Temp. de couleur (K)	7000
Rendu de couleurs CRI	70
UGR	16
Solidité de couleurs	3
Sortie de lumen (Lm)	5000
Lm/W	100
HS Code	9405420010
Puce led	SMD
Type Led	2835
Nombre de puce led	60


Dimensions et caractéristiques du matériau

Dimensions (LxlxH)	235x45x185mm
Poids (kg)	1.11
Couleur	gris
Temp. de travail (°C)	-20~+45
Valeur IP	IP67
Valeur IK	IK04
Résistant aux UV	oui
Résistant à l'eau de mer	no
UL94	
Nombre en vrac	10
Nombre sur palette	
Quantité minimum	1
Article en stock	oui


FICHE TECHNIQUE

LEDFD50LT LED FLOODLIGHT 50W 7000K

Température de couleur distributio



Spectrum distribution




FICHE TECHNIQUE

LEDFD50LT LED FLOODLIGHT 50W 7000K

Dimensions

Schème de câblage



Installation Diagram

